




Hangout

atlasmasland.com





Perfect For Everyday Spaces

Stay Awhile & **Settle In** are available in both carpet tile and broadloom. These versatile styles offer distinct patterns, textures and colors that coordinate effortlessly with our Calibré High Performance LVT.








A Color Palette Perfect For Everyday Spaces

Hangout's color palette includes an essential blend of adaptable neutrals and grays that can be utilized in an array of environments.

color line shown in Stay Awhile



For the most accurate color representation, please request a sample by contacting Customer Service at 1-888-633-4770 or by visiting **atlasmasland.com**.

Hangout

Construction

Stay Awhile Settle In

Fiber Content 100% Universal Fibers® Type 6 nylon

Construction Patterned Loop
Dye Method Solution Dyed

Gauge 1/12

Pile Height .250"/.125" (6.35mm/3.18mm)

Product manufactured utilizing pre-consumer recycled content. Please see environmental specifications for additional information. Specifications may vary slightly over the life of a product. For current specifications,

please visit atlasmasland.com.

Broadloom

Style Number 7995 7996
Pattern Repeat Random Random

Primary Backing Woven Polypropylene

Secondary Backing Woven Polypropylene with Unitary

GLP Certification GLP1678

Warranty Limited 10-year Wear Warranty

Carpet Tile

Style Number T7995 T7996

Pattern Repeat 12" x 36" (30.48cm x 91.44cm) 12" x 36" (30.48cm x 91.44cm)

Primary Backing Synthetic
Secondary Backing EarthWise
Total Thickness .315" (8.00mm)
GLP Certification GLP1922

Warranty Limited Lifetime Commercial Warranty

Area Rugs

Area rugs are available in a variety of shapes, sizes, backings and edge finishes. Please contact your sales associate for more information on the AtlasMasland Area Rug Program or visit **atlasmasland.com.**Specifications may vary slightly over the life of a product. For current specifications, please

visit atlasmasland.com.

Performance

Environmental Meets the standards for the Carpet & Rug Institute's Indoor Air Quality Green Label Plus Carpet Testing

Program

3rd party certified to the NSF/ANSI 140 Sustainability Assessment for Carpet

Flammability Rating

Flooring Radiant Panel ASTM E-648 and/or NFPA 253

Greater than 0.45 watts/CM² Class 1 (EU) CFL S 1 (broadloom), BFL S 1 (tile)

Surface Flammability of Carpets and Rugs (16 CFR Chapter II Subchapter D, Part 1630 CPSC FF 1-70) also

referenced as ASTM D-2859

Smoke Density Passes NBS Smoke Chamber Test ASTM E-662

Colorfastness to Light 4.0 or better

Static Rating Less than 3.5 kV. Antistat warranted for the life of the carpet

Hangout coordinates with Calibré Quick Ship LVT. Please refer to the Calibré Fast 2 Floor Quick Ship folder for additional color options.

Slight variations between sample swatches and production goods are to be expected and are considered normal. Likewise, such variations will occur between production goods of different dye lots. Chair pads are recommended to enhance the aesthetic value and longevity of the product.

All AtlasMasland designs are protected under the U.S. Copyright Act of 1976. Any unauthorized duplication or approximation of an AtlasMasland design constitutes copyright infringement in violation of federal law. @4/2020 AtlasMasland™.

Order samples: 1.888.633.4770 or atlasmasland.com

P.O. Box 11467 Mobile, AL 36671 716 Bill Myles Drive Saraland, AL 36571







