



LIVING

Achievements

atlasmasland.com





LIVING

Achievements

Living began with an innovative concept to creatively combine key elements of Senior Living, Hospitality and Multi-family into one complete offering. From this vision, the dual portfolios of Achievements and Blossoming were devised. Both encompass an extensive selection of broadloom and carpet tile patterns, ideal for an array of interior applications.

The on-trend color palette offers a diverse mixture of sophisticated neutrals and vibrant brights that can either soothe or energize an environment while adding the exceptional performance benefits of Universal Fibers® Nylon 6,6 with Permanent Stain Resistance.

Cover Image:

INTREPID & PURPOSEFUL



Running Line Patterns

Shown In **NEUTRALITY**



INTREPID

Available In







PURPOSEFUL

Available In







SPIRITED

Available In





Shown In RUSTIC POTTERY

Supporting Patterns*



ACTIVE

Available In







ASPIRING

Available In









ELABORATE

Available In



FEARLESS

Available In







 $\mathsf{E}\;\mathsf{X}\;\mathsf{A}\;\mathsf{C}\;\mathsf{T}\;\mathsf{I}\;\mathsf{N}\;\mathsf{G}$

Available In





Product Icons







Installation Icons









BRICK









ASHLAR



MONOLITHIC

Running Line Patterns

INTREPID

Available In





PURPOSEFUL

Available In





SPIRITED

Available In





Creating Beautiful Spaces

Select from a variety of small to large scale tip-sheared loop styles that color coordinate effortlessly. The patterns are meticulously designed to blend and be combined throughout a space for visual interest.














MONOLITHIC

ASHLAR



















Supporting Patterns

Supporting Patterns

Minimums apply. Please contact your Contract Manager for requirements.

ACTIVE

Available In





ASPIRING

Available In





ELABORATE

Available In





EXACTING

Available In





FEARLESS

Available In





















BRICK


HERRINGBONE


















Color Line Shown In PURPOSEFUL

Sophisticated neutrals and vibrant brights that can soothe or energize an environment.



13 DENIM WASH

For the most accurate color representation, please request a sample by contacting your Contract Manager, Customer Service at 1-888-633-4770 or by visiting **atlasmasland.com**.

Living - Achievements

Construction

	Intrepid	Purposeful	Spirited
Fiber Content Construction Dye Method	100% Universal Fibers®. Nylon 6,6 with Permanent Stain Resistance Tip Sheared Loop Pattern Solution Dyed		
Gauge	1/12		
Pile Height	.375"/.250"/.125" (9.53mm/6.35mm/3.18mm)		
	Product manufactured utilizing pr environmental specifications for a of a product. For current specifica	s may vary slightly over the life	
Broadloom			
Style Number	7284	7285	7286
Pattern Repeat	36"W x 32"L (91.44cm x 81.28cm)	36"W x 30"L (91.44cm x 76.2cm)	48"W x 43"L (121.92cm x 109.22cm)
Primary Backing	Woven Polypropylene		
Secondary Backing GLP Certification	Permian Bac™ GLP1678		
Warranty	Limited 10-year Wear Warranty		
Carpet Tile			
Style Number	T7284	T7285	T7286
Tile Size	12" x 36" (30.48cm x 91.44cm)	12" x 36" (30.48cm x 91.44cm)	24" x 24" (60.96cm x 60.96cm)
Primary Backing	Synthetic		
Secondary Backing	Sustaina™ (PVC-free polyester non-woven felt cushion)		
Total Thickness	.515" (13.08mm)		
GLP Certification Warranty	GLP100162 Limited Lifetime Commercial Warranty		
Area Rugs			ge finishes. Please contact your contract
Ū	manager for more information on the AtlasMasland Area Rug Program or visit atlasmasland.com . Specifications may vary slightly over the life of a product. For current specifications, please visit atlasmasland.com .		
Performance			
Environmental	Meets the standards for the Carpet & Rug Institute's Indoor Air Quality Green Label Plus Carpet Testing Program		
	3rd party certified to the NSF/ANSI 140 Sustainability Assessment for Carpet		
Flammability Rating	Flooring Radiant Panel ASTM E-648 and/or NFPA 253 Greater than 0.45 watts/CM ² Class 1 (EU) CFL S 1 (broadloom), BFL S 1 (tile) Surface Flammability of Carpets and Rugs (16 CFR Chapter II Subchapter D, Part 1630 CPSC FF 1-70) also referenced as ASTM D-2859		
Smoke Density	Passes NBS Smoke Chamber Test ASTM E-662		
Colorfastness to Light	4.0 or better		
Static Rating	Less than 3.5 kV. Antistat warranted for the life of the carpet		

Achievements coordinates with Calibré High Performance LVT. Please refer to the Calibré Quiet Down SPC folder for additional color options.

Slight variations between sample swatches and production goods are to be expected and are considered normal. Likewise, such variations will occur between production goods of different dye lots. Chair pads are recommended to enhance the aesthetic value and longevity of the product.

All AtlasMasland designs are protected under the U.S. Copyright Act of 1976. Any unauthorized duplication or approximation of an AtlasMasland design constitutes copyright infringement in violation of federal law. ©4/2020 AtlasMasland™.

Order samples: 1.888.633.4770 or atlasmasland.com

P.O. Box 11467 Mobile, AL 36671 716 Bill Myles Drive Saraland, AL 36571







