



Natural Elements Too


atlasmasland.com

Nature-inspired experiences, by design.


Natural Elements Too brings the peace and positivity of the outdoors inside with the nature-inspired patterns **Air Too**, **Earth Too**, **Fire Too** and **Water Too**. With a versatile scale of organic patterns and an elegant neutral color palette, the styles in this collection work independently or in harmony to translate tranquility and serenity in interior spaces. Manufactured with Thrive® by Universal Fibers®, the most environmentally conscious solution-dyed carpet fiber in the world, and Sustaina™, a non-PVC, non-polyurethane, recycled backing system, Natural Elements Too is one of the most sustainable modular carpet collections in the marketplace.

Check out our collections at **atlasmasland.com** and discover how we are designing better human experiences for interior environments.






Calibré shown in W1013 CAFFÉ MOCHA



Calibré SHOWN IN A5015 BLACK ONYX









☐ Earth Too shown in 18 hazy morning / monolithic ☐ ☐ ☐









Fire Too shown in 15 LIGHTNING STRIKES / ASHLAR











☐ Water Too shown in 18 hazy morning / monolithic 📑

It's what supports our products that makes them kind and beautiful.

Sustaina™

PVC-free backing by AtlasMasland

As part of our commitment to designing better human experiences, AtlasMasland is transitioning all carpet tile products to our Sustaina PVC-free backing system.





SUSTAIN

Sustaina doesn't contain PVC, polyurethane, or Red List chemicals. Sustaina-backed products are 3rd-party certified Platinum to the NSF/ ANSI 140 Sustainability Assessment for carpet.



RECYCLE

Sustaina-backed products are constructed with significant recycled content - up to 82% based on face fiber.



BREATHE

Sustaina allows moisture vapor to transfer through the product which contributes to a healthier environment. Sustaina-backed products can be installed on high moisture content slabs.



Sustaina-backed products minimizes floor prep required when installing over existing broadloom adhesive, saving time and money.



Like nature, the Natural Elements Too color palette is both powerful and gentle.

Crisp neutral shades provoke a bond with nature that promotes inspired interiors.

COLORS SHOWN IN T7168 FARTH:





11 Smokey Grey


15





15 Lightning Strikes

16 Thunder Dome





18 Hazy Morning





21 Evenina Skv

22 Open Fields

20 Sand Dunes

For the most accurate color representation, please request a sample by contacting Customer Service at **1-888-633-4770** or by visiting **atlasmasland.com**.



To inspire design creativity, AtlasMasland never stops innovating. From inception to final product, our designs are pursued with one goal in mind: enhance the experience. Through statement-making patterns, easily customizable flooring solutions or unique products developed to preserve our planet, we design with intent. We design for better human experiences.

Natural Elements Too

Construction

Construction				
	Air Too	Earth Too	Fire Too	Water Too
Style Number	T7167	T7168	T7169	T7170
Fiber Content	Thrive® by Universal Fibers®, Nylon 6,6 with 75% recycled content and Permanent Stain Resistance			
Construction	Patterned Loop			
Carpet Tile Size	12" x 36" (30.48 cm x 91.44 cm)			
Dye Method	Solution Dyed			
Total Thickness	.390" (9.91 mm)			
Primary Backing	Synthetic			
Secondary Backing	Sustaina™ (PVC-free polyester non-woven felt)			
GLP Certification	GLP100162			
	Product manufactured utilizing pre-consumer and post-consumer recycled content. Please see environmental specifications for additional information. Specifications may vary slightly over the life of a product. For current specifications, please visit atlasmasland.com			
Performance				
Environmental	Meets the standards for the Carpet & Rug Institute's Indoor Air Quality Green Label Plus Carpet Testing Program			
	3rd party certified PLATINUM to the NSF/ANSI 140 Sustainability Assessment for Carpet			
Flammability Rating	Flooring Radiant Panel ASTM E-648 and/or NFPA 253 Greater than 0.45 watts/CM ² Class 1 (EU) BFL S 1 Surface Flammability of Carpets and Rugs (16 CFR Chapter II Subchapter D, Part 1630 CPSC FF 1-70) also referenced as ASTM D-2859			
Smoke Density	Passes NBS Smoke Chamber Test ASTM E-662 (flaming mode)			
Colorfastness to Light	4.0 or better			
Static Rating	Less than 3.5 kV. Antistat warranted for the life of the carpet			
Warranty	Lifetime Commercial Limited Warranty			



PLATINUM CERTIFIED NSF/ANSI 140 Sustainable Carpet

Natural Elements Too coordinates with Calibré High Performance LVT. Please visit atlasmasland.com for additional color options.

Slight variations between sample swatches and production goods are to be expected and are considered normal. Likewise, such variations will occur between production goods of different dye lots. Chair pads are recommended to enhance the aesthetic value and longevity of the product.

All AtlasMasland designs are protected under the U.S. Copyright Act of 1976. Any unauthorized duplication or approximation of an AtlasMasland design constitutes copyright infringement in violation of federal law. ©11/2020 AtlasMasland™.

For reclamation of this book, please contact your AtlasMasland contract manager.

Order samples: 1.888.633.4770 or atlasmasland.com

P.O. Box 11467 Mobile, AL 36671 716 Bill Myles Drive Saraland, AL 36571

